



AWNINGS



INFLATABLES



BANNERS



MARINE



TARPS



TENTS

Versatile, Ergonomic AND EFFICIENT

Miller Weldmaster T300 Extreme® combines versatility and precisely controlled operating parameters within an ergonomic design and interface for easy operation, speed, accuracy, and productivity.

Hot Air Welding Applications:

- Woven Polypropylene
- Woven Polyethylene
- PVC Laminate
- PVC Coated
- Polyurethane Coated
- Polypropylene
- Acrylic
- More...

Hot Wedge Welding Applications:

- Woven Polypropylene
- Woven Polyethylene
- PVC Laminate
- PVC Coated
- Polyurethane Coated
- Polypropylene
- Acrylic
- More...

T3000 Extreme.



Seam Types



Technical Specifications

Voltage: 25 Amperes- Single Phase- 230/400 Volts

Air Requirements: 85 Liters/Min. at 6.2 bar

Power Consumption: Approx. 6Kw

Maximum Temperature: Hot Air: 750°C - Hot Wedge: 450°C

Throat Width: 0.83m

Dimensions:
Width: 760mm
Length: 1.65m
Height: 760mm
Weight: Approx. 231KG

Seam Width: 10 to 50mm (1/2" to 2")**

Welding Cycle: Up to 30m/min (100ft/min)*

* Depending on the application, the seam width and the type of material used

**Additional guides might be necessary

FEATURES & BENEFITS

1. Easy operation touch screen and 25 memory settings.
2. Equipped with dual arms: The "Table Arm" takes care of straight seams for applications like tarps, awning and tents; while the curve arm manages curves and unique shapes for applications like boats and inflatables.
3. Quick, repeatable, precision head adjustments.
4. Available in hot air, hot wedge or equipped with both for product versatility.
5. Quick, easy guide change for multiple seam configurations.

www.weldmaster.com